


# Sons of the American Revolution



Pensacola Chapter FLSSAR  
P.O. Box 37216  
Pensacola, FL 32526-0216

Mr. Jack P. Brown, President  
Veterans Memorial Park Foundation of Pensacola, Inc.  
8799 Thunderbird Dr  
Pensacola, FL 32514

September 9, 2014

Dear President Brown,

During your Veterans Memorial Park Foundation's meeting of September 2, 2014 our organization proposed installation of donation tile pavers for the new Rev War Veterans Memorial. This document contains detailed information regarding our proposal not previously conveyed to the committee.

It is requested this document be provided to your board members for review prior to the next scheduled committee meeting, September 16, 2014. Our organization intends to have representation at the next meeting to address any questions the committee may have regarding the contents of this document or the proposed installation in general.

The Pensacola Chapters of the Sons of the American Revolution (SAR) and the Daughters of the American Revolution (DAR) project sponsors, on behalf of the donors, cannot express enough the importance of finalizing the initial memorial construction with the installation of their tile pavers. Many of our donors have literally been waiting not to see the installation of the Minuteman Statue, but to see their memorial pavers displayed with the monument to honor their support of the project. Many donors not residing in the local area have requested to receive digital photos of the memorial including their memorial tile paver as it appears within the memorial.

As suggested by your members at the recent meeting, we have decided to use tile pavers as currently used for the existing Marine Bell Tower Memorial. (See Appendix A) The exact tile pavers will be of the

style and size, but will be of a different color so as to not distract from the prominence of the monument or the memorial as a whole. (See Appendix B) Once the installation plans have been finalized and a local installer has been identified. Our organization will purchase the tile pavers from the following vendor and have them shipped directly to the contracted installer.

Bricks R Us  
201 South Biscayne Boulevard, 28th Floor  
Miami, FL 33131  
888.692.7425  
[www.bricksrus.com](http://www.bricksrus.com)

The proposed locations of the pavers is in two equal inlayed groups of two (2) rows parallel and next to the left and right sides of the memorial statue granite base (see Appendix C for existing base). A scale diagram has been provided showing the location of the individual tile pavers relative to the statue base shown in Appendix D. As I conveyed to your committee at the previous meeting the proposed location of the tile pavers to ensure that the installation would not encroach upon a proposed future enhancement to the memorial as detailed in the conceptual design sketch shown in Appendix E.

We look forward to attending your committee's next meeting to answer you possible concerns and look forward to completing the installation of the donor memorial pavers as soon as feasible.


Sincerely,

Raymond C. Lantz, Chairman  
Revolutionary War Veterans Memorial Project Committee  
Pensacola Chapter SAR  
800.857.1599  
[rclantz@cox.net](mailto:rclantz@cox.net)

# Appendix A



Appendix B



**SAHARA SAND**


|  |   |
|--|---|
| <b>CORENE<br/>STONECIPHER</b>                                | <b>UNITED STATES<br/>ENRICHMENT<br/>CORPORATION</b>           |
| <b>ST STEPHENS<br/>EPISCOPAL CHURCH</b>                      | <b>ANNA'S<br/>LITERARY SOCIETY</b>                            |
| <b>GILBERT L CREASEY<br/>JULY 20, 1941<br/>JUNE 29, 1961</b> | <b>RET. USAF SMSGT<br/>JOSEPH D &amp; MARCIA<br/>SAUNDERS</b> |

Actual Installation Photo Snippet

## Appendix C



# Appendix D



Scale: 1/2 inch = 8 Inches

Note: Depicted 77 tile pavers will consist of 3 – 8" x 8" and 74 – 4" x 8" sizes, all of which will be engraved with contributor submitted in formation. The tiles will be laid in two troughs cut into the existing foundation concrete pad. Once the tiles have been laid they will be flush with the existing concrete pad thereby posing no possibility of a trip hazard to park visitors.

# Appendix E

S

